



IP SERVICES



Home IP Services PATENTSCOPE®



Search result: 1 of 1

(WO/2002/014322) PORPHYRIN COMPOUNDS CONSISTING OF PORPHYRIN RINGS FUSED IN A SINGLE DIRECTION BY THREE BONDS, I.E., ONE MESO-MESO CARBON BOND AND TWO \$g(b)-\$g(b) CARBON BONDS AND PROCESS FOR THEIR SYNTHESIS

National Phase

Latest bibliographic data on file with the International Bureau

Claims

Publication Number: WO/2002/014322

Description

21.02.2002

International Application No.: PCT/JP2001/006832

International Filing Date:

08.08.2001

Documents

Int. Class.: C07D 487/22 (2006.01)

Applicants:

JAPAN SCIENCE AND TECHNOLOGY CORPORATION [JP/JP]; 1-8, Hon-cho 4-chome Kawaguchi-shi

Notices

Saitama 332-0012 (JP) (AT, BE, CA, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IL, IT, LU, MC, NL, PT,

SE. TR only).

OSUKA, Atsuhiro [JP/JP]; 2-4-6, Oginosato Ohtsu-shi Shiga 529-0246 (JP) (US Only).

Inventor:

Biblio. Data

Publication Date:

OSUKA, Atsuhiro [JP/JP]; 2-4-6, Oginosato Ohtsu-shi Shiga 529-0246 (JP).

Agent:

MIYAMOTO, Harumi; Hougaku Bldg. 7F 19-14, Toranomon 1-chome Minato-ku Tokyo 105-0001 (JP).

Priority Data: 2000-243699 11.08.2000 JP

Title:

PORPHYRIN COMPOUNDS CONSISTING OF PORPHYRIN RINGS FUSED IN A SINGLE DIRECTION BY THREE BONDS, I.E., ONE MESO-MESO CARBON BOND AND TWO \$g(b)-\$g(b) CARBON BONDS

AND PROCESS FOR THEIR SYNTHESIS

Abstract:

A porphyrin ring-fusion polymer which consists of two or more Zn?II¿-porphyrin rings fused in a single direction and in which any two porphyrin rings adjacent to each other are fused by three covalent bonds, that is, one meso-meso carbon bond (i.e., one bond between meso-position carbon atoms) and two \$g(b)-\$g(b) carbon bonds (i.e., two bonds between \$g(b)-position carbon atoms adjacent to the mesoposition carbon atoms); a process for preparing the porphyrin ring-fusion polymer regioselectively by conducting the fusion reaction in an aromatic hydrocarbon solvent in the presence of a quinone and a Lewis acid containing a rare earth element under reflux; and fused-ring porphyrin compounds obtained by subjecting the prophyrin ring-fusion polymer to demetallization or replacement of the Zn atoms

by other metal atoms.

Designated CA, IL, US.

European Patent Office (EPO) (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, States:

Publication Language:

Japanese (JA)

Filing Language:

Japanese (JA)